



CUTTING BOARDS
KITCHEN



CUTTING BOARDS

GRIP BOARDS | STANDARD BOARDS | SPECIALTY & CUSTOM BOARDS | ACCESSORIES

GRIP BOARDS

- Saf-T-Grip® integrated grip corners provide a safe and secure prep surface
- Durable co-polymer and molded-in grips designed to stand up to the toughest commercial kitchen environments
- Integrated ruler makes portioning easy, eliminating guess-work and saving money
- Patented Food Safety Hook allows for sanitary transport and storage

CUTTING BOARDS



Saf-T-Grip® Cutting Boards

- Integrated anti-slip grips securely hold board in place
- Patented Food Safety Hook for sanitary transport and storage
- Durable co-polymer material will not warp

| Item | Color | Dimensions HxWxD |
|------------|------------------------|--------------------------------------|
| CBG6938* | BK, GN, RD, WH, YL | 6" x 9" x 3/8" (152 x 229 x 9.5 mm) |
| CBG912* | BL, BR, GN, RD, WH, YL | 9" x 12" x 3/8" (229 x 305 x 9.5 mm) |
| CBG121812* | BL, BR, GN, RD, WH, YL | 12" x 18" x 1/2" (305 x 457 x 13 mm) |
| CBG152012* | BL, BR, GN, RD, WH, YL | 15" x 20" x 1/2" (381 x 508 x 13 mm) |
| CBG182412* | BL, BR, GN, RD, WH, YL | 18" x 24" x 1/2" (457 x 610 x 13 mm) |



“Saf-T-Grip® boards are very durable and perfect for use in the kitchen or bar. The non-slip grips make the cutting boards safe and easy to use.”
~ Eric K.

* Specify desired color after item number. Example: CBG6938BK





Saf-T-Grip® White Cutting Boards

- Reduce cross-contamination with color-coded cutting boards
- All the great features and benefits of our Saf-T-Grip® family, with the tradition of a white cutting board
- Durable co-polymer material will not warp

| Item | Color | Dimensions H x W x D |
|-------------|----------------|------------------------------------|
| CBGW912* | BL, GN, YL, RD | 9" x 12" x ¾" (229 x 305 x 9.5 mm) |
| CBGW152012* | BL, GN, YL, RD | 15" x 20" x ½" (381 x 508 x 13 mm) |



Saf-T-Grip® White 4-Board System

- Reduce cross-contamination with color-coded cutting boards
- All the great features and benefits of our Saf-T-Grip® family, with the tradition of a white cutting board
- Durable co-polymer material will not warp

| Item | Color | Dimensions H x W x D |
|--|----------------|------------------------------------|
| WHITE BOARDS WITH (1EACH) OF THE COLORED GRIPS: GREEN, RED, YELLOW AND WHITE | | |
| CBGW912QS | WH, GN, YL, RD | 9" x 12" x ¾" (229 x 305 x 9.5 mm) |
| CBGW152012QS | WH, GN, YL, RD | 15" x 20" x ½" (381 x 508 x 13 mm) |



Saf-T-Grip® 6-Board System

- Reduce cross-contamination with color-coded cutting boards
- Includes customizable color-coding Smart Chart™ with stickers
- Durable co-polymer material will not warp

| Item | Dimensions H x W x D |
|--|------------------------------------|
| CONTAINS (1EACH) BLUE, BROWN, GREEN, RED, WHITE, YELLOW CUTTING BOARDS & FREE COLOR-CODED SMART CHART. | |
| CBG1218KC | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CBG1520KC | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CBG1824KC | 18" x 24" x ½" (457 x 610 x 13 mm) |



Saf-T-Grip® Bar/Snack Boards

- Durable co-polymer construction will not warp
- Material won't dull knives and resists unsanitary cut-grooving
- Smaller size is ideal for tight spaces

| Item | Color | Dimensions H x W x D |
|----------|--------------------|-----------------------------------|
| CBG6938* | BK, GN, RD, WH, YL | 6" x 9" x ¾" (152 x 229 x 9.5 mm) |



Allergen Saf-T-Zone™ Cutting Boards

- Helps protect guests with food allergies
- Purple color alerts staff to follow special procedures
- Durable co-polymer material will not warp

| Item | Dimensions H x W x D |
|-------------|------------------------------------|
| CBG6938PR | 6" x 9" x ¾" (152 x 229 x 9.5 mm) |
| CBG912PR | 9" x 12" x ¾" (229 x 305 x 9.5 mm) |
| CBG121812PR | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CBG152012PR | 15" x 20" x ½" (381 x 508 x 13 mm) |



STANDARD BOARDS

- Premium, cutting boards with Cut-N-Carry® patented Food Safety Hook
- Color options allow for color-coding to minimize cross-contamination during prep

Cut-N-Carry® Color Cutting Boards

- Patented Food Safety Hook design for sanitary transport and storage
- Durable co-polymer construction provides superior heat, chemical and warp resistance
- Material won't dull knives and resists unsanitary cut-grooving

| Item | Color | Dimensions H x W x D |
|-----------|--------------------|------------------------------------|
| CB101212* | GN, YL | 10" x 12" x ½" (254 x 305 x 13 mm) |
| CB121812* | BL, BR, GN, RD, YL | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CB152012* | BL, BR, GN, RD, YL | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CB182412* | BL, BR, GN, RD, YL | 18" x 24" x ½" (457 x 610 x 13 mm) |
| CB121834* | BL, GN, RD, YL | 12" x 18" x ¾" (305 x 457 x 19 mm) |
| CB182434* | BL, BR, GN, RD, YL | 18" x 24" x ¾" (457 x 610 x 19 mm) |



Cut-N-Carry® 4 & 6-Board Systems

- Reduce cross-contamination with color-coded cutting boards
- Includes customizable color-coding Smart Chart™
- Durable co-polymer construction provides superior heat, chemical and warp resistance

| Item | Description | Dimensions H x W x D |
|----------|---|------------------------------------|
| CB1218QS | 4-Board System: (1ea) green, red, white, yellow cutting boards and a Color-Coded Smart Chart | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CB1520QS | | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CB1824QS | | 18" x 24" x ½" (457 x 610 x 13 mm) |
| CB1218KC | 6-Board System: (1ea) blue, brown, green, red, white, yellow cutting boards and a Color-Coded Smart Chart | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CB1520KC | | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CB1824KC | | 18" x 24" x ½" (457 x 610 x 13 mm) |



4-Board Cut-N-Carry® System



* Specify desired color after item number. Example: CBGW912BL





Cut-N-Carry® White Cutting Boards

- Patented Food Safety Hook design for sanitary transport and storage
- Material won't dull knives and resists unsanitary cut-grooving
- Durable co-polymer construction will not warp

| Item | Dimensions H×W×D |
|------------|------------------------------------|
| CB101212WH | 10" x 12" x ½" (254 x 305 x 13 mm) |
| CB121812WH | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CB152012WH | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CB182412WH | 18" x 24" x ½" (457 x 610 x 13 mm) |
| CB183012WH | 18" x 30" x ½" (457 x 762 x 13 mm) |
| CB242412WH | 24" x 24" x ½" (610 x 610 x 13 mm) |
| CB121834WH | 12" x 18" x ¾" (305 x 457 x 19 mm) |
| CB152034WH | 15" x 20" x ¾" (381 x 508 x 19 mm) |
| CB182434WH | 18" x 24" x ¾" (457 x 610 x 19 mm) |
| CB183034WH | 18" x 30" x ¾" (457 x 762 x 19 mm) |
| CB242434WH | 24" x 24" x ¾" (610 x 610 x 19 mm) |



White Cutting Boards

- Material won't dull knives and resists unsanitary cut-grooving
- Durable co-polymer construction will not warp

| Item | Dimensions H×W×D |
|-----------|------------------------------------|
| CB12181WH | 12" x 18" x 1" (304 x 457 x 25 mm) |
| CB15201WH | 15" x 20" x 1" (381 x 508 x 25 mm) |
| CB18241WH | 18" x 24" x 1" (457 x 609 x 25 mm) |



White Grooved Cutting Boards

- Groove design reduces cross-contamination by stopping food juices from spilling onto countertops and food prep areas
- Reduces mess and clean-up
- Durable co-polymer construction will not warp

| Item | Dimensions H×W×D |
|--------------|------------------------------------|
| CB121812GVWH | 12" x 18" x ½" (305 x 457 x 13 mm) |
| CB152012GVWH | 15" x 20" x ½" (381 x 508 x 13 mm) |
| CB182412GVWH | 18" x 24" x ½" (457 x 610 x 13 mm) |
| CB182434GVWH | 18" x 24" x ¾" (457 x 610 x 19 mm) |



White Bar Board

- Material won't dull knives and resists unsanitary cut-grooving
- Smaller size is ideal for tight spaces
- Durable co-polymer construction will not warp

| Item | Dimensions H×W×D |
|----------|----------------------------------|
| CB6912WH | 6" x 9" x ½" (152 x 229 x 13 mm) |



SPECIALTY
& CUSTOM
BOARDS

- Available in co-polymer and our patented Tuff-Cut® high-heat materials
- Choose a standard size or customize to accommodate any application

Tuff-Cut® Cutting Boards

- Designed for high-heat applications
- Rated to withstand temperatures up to 350°F (177°C) without warping or scorching
- Ideal for use as pizza peels and meat carving

| Item | Description | Dimensions H×W×D |
|------------|-----------------------|------------------------------------|
| TC121812 | Regular cutting board | 12" x 18" x ½" (305 x 457 x 13 mm) |
| TC152012 | Regular cutting board | 15" x 20" x ½" (381 x 508 x 13 mm) |
| TC182412 | Regular cutting board | 18" x 24" x ½" (457 x 610 x 13 mm) |
| TC121812GV | Grooved cutting board | 12" x 18" x ½" (305 x 457 x 13 mm) |
| TC152012GV | Grooved cutting board | 15" x 20" x ½" (381 x 508 x 13 mm) |
| TC182412GV | Grooved cutting board | 18" x 24" x ½" (457 x 610 x 13 mm) |



Tuff-Cut® Bread Boards

- Designed for high-heat applications and serrated knife use
- Rated to withstand temperatures up to 350°F (177°C) without warping or scorching
- Different sizes and shapes for bread cutting and serving

| Item | Description | Dimensions H×W×D |
|--------|---|------------------------------------|
| TC7501 | Bread board with 5" (127 mm) handle | 7" x 9" x ¼" (178 x 229 x 6 mm) |
| TC7502 | Bread board with 6" (152 mm) handle | 7" x 9" x ½" (178 x 229 x 13 mm) |
| TC7503 | Bread board with 4" (102 mm) handle & butter well | 8½" x 6½" x ¾" (216 x 165 x 19 mm) |



CUTTING BOARDS




Tuff-Cut® Custom Cutting Boards

- Same high-quality Tuff-Cut® material in custom sizes and shapes
- Ships within 48 hours

| Item | Thickness |
|-----------|-------------|
| TC4812014 | ¼" (6 mm) |
| TC4812038 | ⅜" (9.5 mm) |
| TC4812012 | ½" (13 mm) |
| TC4812034 | ¾" (19 mm) |
| TC481201 | 1" (25 mm) |

All cuts are straight edge unless otherwise requested (additional cost).



Custom-Cut Cutting Boards

- High-quality material is durable, heat-resistant and will not dull knives
- Ships in 48 hours

| Item | Color | Thickness |
|------------|------------------------|------------|
| CBL6012012 | GN, RD, YL, BL, BR, WH | ½" (13 mm) |
| CBL6012034 | White only | ¾" (19 mm) |
| CBL601201 | White only | 1" (25 mm) |

Special cuts, holes and patterns are available at an additional cost.

All cuts are straight edge unless otherwise requested (additional cost).

Complex cuts and large quantities (over 15) may take longer than 48 hours.



How to Order a Custom Cutting Board

- Step 1:** Pick your thickness from choices above
- Step 2:** Pick your size - any size
- Step 3:** Call in your order to Customer Care **1.800.248.9826** or email us at **sjorders@sanjamar.com**

Visit our online Custom Cutting Board Calculator: <http://customcutbrd.sanjamar.com>

Please Note: Special cuts, holes and patterns are available at an additional cost. All cuts are straight edge unless otherwise requested (additional cost). Complex cuts and large quantities (over 15) may take longer than 48 hours. 3/4" boards and 1" boards are only available in white.



ACCESSORIES

- Convenient cutting board storage, Board-Mate® non-slip board mats and color-coding wall charts



KLRST



CNCRK

Saf-T-Grip® Board-Mate®

- Replaces unsanitary "wet towel" to keep non-grip boards from shifting and sliding
- Reduces knife accidents and injuries during prep
- Also keeps countertop appliances from slipping

| Item | Dimensions H x W |
|---------|--------------------------|
| CBM1016 | 10" x 16" (254 x 406 mm) |
| CBM1318 | 13" x 18" (330 x 457 mm) |
| CBM1622 | 16" x 22" (406 x 559 mm) |



Cutting Board Accessories

| Item | Description |
|-----------|---|
| KLRST | Cutting board storage stand with non-slip feet |
| CNCRK | Shelf-mounting hanging rack |
| CBCWLCTST | Color-coded cutting board smart chart / 6-board with stickers |
| QSWLCT | Color-coded cutting board smart chart / 4-board |

